

## V1404SS

Version number: 12.1 Revision: 2024-07-22 SDS Identifier: V1404SS

## **SECTION 1: Identification**

## 1.1 Product identifier

SDS Identifier V1404SS

Catalog numbers A-1404, A-6802, S-1404, S-1404T, S-6804

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses components of water analysis test kits

## 1.3 Details of the supplier of the safety data sheet

AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover PA 17331 United States

Telephone: (717) 632-1291

e-mail: info@aquaphoenixsci.com

Website: https://www.aquaphoenixsci.com/

e-mail (competent person) scraig@aquaphoenixsci.com (Stephen Craig)

## 1.4 Emergency telephone number

Emergency information service ChemTel Inc.: 1-800-255-3924, +01-813-248-0585

## **SECTION 2: Hazard(s) identification**

#### 2.1 Classification of the substance or mixture

Classification acc. to GHS

| Hazard class                      | Category | Hazard class and category | Hazard statement |
|-----------------------------------|----------|---------------------------|------------------|
| acute toxicity (oral)             | 4        | Acute Tox. 4              | H302             |
| skin corrosion/irritation         | 1A       | Skin Corr. 1A             | H314             |
| serious eye damage/eye irritation | 1        | Eye Dam. 1                | H318             |

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis.

## 2.2 Label elements

Labeling

- Signal word danger

United States: en Page: 1 / 14



## V1404SS

Version number: 12.1 Revision: 2024-07-22 SDS Identifier: V1404SS

#### - Pictograms

GHS05, GHS07



- Hazard statements

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

#### - Precautionary statements

P260 Do not breathe dusts or mists.

P264+P265 Wash hands thoroughly after handling. Do not touch eyes. P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P301+P317 IF SWALLOWED: Get medical help.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P302+P361+P354 IF ON SKIN: Take off immediately all contaminated clothing. Immediately rinse with water for

several minutes.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P354+P338 IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P316 Get emergency medical help immediately.
P321 Specific treatment (see on this label).
P363 Wash contaminated clothing before reuse.

P405 Store locked up.

P501 Dispose of contents/container to industrial combustion plant.

- Hazardous ingredients for labelling sodium hydroxide

#### 2.3 Other hazards

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of  $\geq$  0.1%.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of  $\geq$  0.1%.

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not relevant (mixture)

#### 3.2 Mixtures

Description of the mixture

| Name of substance | Identifier          | Wt% | Classification acc. to GHS | Pictograms |
|-------------------|---------------------|-----|----------------------------|------------|
| deionized water   | CAS No<br>7732-18-5 | 82  |                            |            |

United States: en Page: 2 / 14



## V1404SS

Version number: 12.1 Revision: 2024-07-22 SDS Identifier: V1404SS

| Name of substance | Identifier          | Wt% | Classification acc. to GHS   | Pictograms |
|-------------------|---------------------|-----|--|------------|
| sodium hydroxide  | CAS No<br>1310-73-2 | 18  | Acute Tox. 4 / H302<br>Skin Corr. 1A / H314<br>Eye Dam. 1 / H318<br>Aquatic Acute 3 / H402 | (I)        |

#### **Remarks**

For full text of abbreviations: see SECTION 16

#### **SECTION 4: First-aid measures**

## 4.1 Description of first-aid measures

#### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

#### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

#### Following skin contact

Wash with plenty of soap and water.

#### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

#### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

## 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

## **SECTION 5: Fire-fighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media

Water spray, Alcohol resistant foam, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

## 5.2 Special hazards arising from the substance or mixture

### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

United States: en Page: 3 / 14



## V1404SS

Version number: 12.1 Revision: 2024-07-22 SDS Identifier: V1404SS

#### **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

## 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

## 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Recommendations

Wear impact- and splash-resistant eyewear.

- Measures to prevent fire as well as aerosol and dust generation Use local and general ventilation. Use only in well-ventilated areas.
- Handling of incompatible substances or mixtures
  Do not mix with acids.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

## 7.2 Conditions for safe storage, including any incompatibilities

Control of the effects

Protect against external exposure, such as

heat, high temperatures, light, UV-radiation/sunlight

United States: en Page: 4 / 14



## V1404SS

Version number: 12.1 Revision: 2024-07-22 SDS Identifier: V1404SS

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 **Control parameters**

Occupational exposure limit values (Workplace Exposure Limits)

| Coun-<br>try | Name of agent                      | CAS No    | Identi-<br>fier | TWA<br>[ppm] | TWA<br>[mg/m³] | STEL<br>[ppm] | STEL<br>[mg/m³] | Ceiling-C<br>[ppm] | Ceiling-C<br>[mg/m³] | Nota-<br>tion | Source                  |
|--------------|------------------------------------|-----------|-----------------|--------------|----------------|---------------|-----------------|--------------------|----------------------|---------------|-------------------------|
| US           | sodium hydroxide                   | 1310-73-2 | REL             |              |                |               |                 |                    | 2                    |               | NIOSH<br>REL            |
| US           | sodium hydroxide                   | 1310-73-2 | TLV®            |              |                |               |                 |                    | 2                    |               | ACGIH®<br>2023          |
| US           | sodium hydroxide                   | 1310-73-2 | PEL             |              | 2              |               |                 |                    |                      |               | 29 CFR<br>1910.10<br>00 |
| US           | sodium hydroxide<br>(caustic soda) | 1310-73-2 | PEL<br>(CA)     |              |                |               |                 |                    | 2                    |               | Cal/OSH<br>A PEL        |

#### **Notation**

Ceiling-C ceiling value is a limit value above which exposure should not occur

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period

(unless otherwise specified)

 $time-weighted \ average \ (long-term\ exposure\ limit): \ measured\ or\ calculated\ in\ relation\ to\ a\ reference\ period\ of\ 8\ hours\ time-weighted\ average\ (unless\ otherwise\ specified\ deliberty).$ TWA

## Relevant DNELs of components

| Name of substance | CAS No    | Endpoint |         | Protection goal, route of exposure | Used in           | Exposure time           |
|-------------------|-----------|----------|---------|------------------------------------|-------------------|-------------------------|
| sodium hydroxide  | 1310-73-2 | DNEL     | 1 mg/m³ | human, inhalatory                  | worker (industry) | chronic - local effects |

#### 8.2 **Exposure controls**

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

United States: en Page: 5 / 14



# Safety Data Sheet V1404SS

Version number: 12.1 Revision: 2024-07-22 SDS Identifier: V1404SS

- Other protection measures

Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Product description: Opaque plastic bottle containing liquid reagent. Each bottle of solution contains approximately 9 mL of liquid reagent. Test kits contain one bottle of solution. A-1410 Accessory Packs contain two (2) bottles of A-1404 solution. A-6802 Accessory Packs contain three (3) bottles of the A-6804 solution.

| Physical state   | liquid               |
|--|----------------------|
| Color  | colorless            |
| Odor   | odorless             |
| Melting point/freezing point                             | 0 °C                 |
| Boiling point or initial boiling point and boiling range | 100 °C at 101.33 kPa |
| Evaporation rate   | not determined       |
| Flammability   | non-combustible      |
| Lower and upper explosion limit                          | not determined       |
| Flash point  | not determined       |
| Auto-ignition temperature                                | not determined       |
| Decomposition temperature                                | not relevant         |
| pH (value)   | 14 (base)            |
| Kinematic viscosity                                      | not determined       |

## Solubility(ies)

| Water solubility | miscible in any proportion |
|------------------|----------------------------|
| Water Solubility | misciple in any proportion |

## Partition coefficient

| Partition coefficient n-octanol/water (log value) | this information is not available |
|---|-----------------------------------|
|---|-----------------------------------|

United States: en Page: 6 / 14



## V1404SS

Version number: 12.1 Revision: 2024-07-22 SDS Identifier: V1404SS

| Vapor pressure | 23.7 mmHg at 25 °C |
|----------------|--------------------|
|----------------|--------------------|

## Density and/or relative density

| Density                 | not determined                                |
|-------------------------|---|
| Relative vapour density | information on this property is not available |
| Relative density        | 1.1 (water = 1)                               |

| Particle characteristics | not relevant (liquid) |
|--------------------------|-----------------------|
|--------------------------|-----------------------|

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

#### 10.2 Chemical stability

See below "Conditions to avoid".

#### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

## 10.5 Incompatible materials

There is no additional information.

Release of flammable materials with:

Light metals (due to the release of hydrogen in an acid/alkaline medium)

## 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

## Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Harmful if swallowed.

United States: en Page: 7 / 14



## V1404SS

Version number: 12.1 Revision: 2024-07-22 SDS Identifier: V1404SS

## - Acute toxicity estimate (ATE)

Oral 1,805.6 <sup>mg</sup>/<sub>kg</sub>

## Acute toxicity estimate (ATE) of components

| Name of substance | CAS No    | Exposure route | ATE                               |
|-------------------|-----------|----------------|-----------------------------------|
| sodium hydroxide  | 1310-73-2 | oral           | 325 <sup>mg</sup> / <sub>kg</sub> |

#### Skin corrosion/irritation

Causes severe skin burns and eye damage.

#### Serious eye damage/eye irritation

Causes serious eye damage.

#### Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

## Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

## Carcinogenicity

Shall not be classified as carcinogenic.

#### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

## Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

## Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

## 11.2 Information on other hazards

There is no additional information.

## **SECTION 12: Ecological information**

## 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

## 12.2 Persistence and degradability

Data are not available.

#### 12.3 Bioaccumulative potential

Data are not available.

## 12.4 Mobility in soil

Data are not available.

United States: en Page: 8 / 14



## V1404SS

Version number: 12.1 Revision: 2024-07-22 SDS Identifier: V1404SS

#### 12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance at a concentration of  $\geq 0.1\%$ .

## 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of  $\geq$  0.1%.

#### 12.7 Other adverse effects

Data are not available.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Please consider the relevant national or regional provisions.

## **SECTION 14: Transport information**

#### 14.1 UN number

| DOT       | UN 1824 |
|-----------|---------|
| IMDG-Code | UN 1824 |
| ICAO-TI   | UN 1824 |

## 14.2 UN proper shipping name

| DOT       | Sodium hydroxide solutions |
|-----------|----------------------------|
| IMDG-Code | SODIUM HYDROXIDE SOLUTION  |

ICAO-TI Sodium hydroxide solution

## 14.3 Transport hazard class(es)

| DOT       | 8 |
|-----------|---|
| IMDG-Code | 8 |
| ICAO-TI   | 8 |

## 14.4 Packing group

| DOT       | II |
|-----------|----|
| IMDG-Code | II |
| ICAO-TI   | II |

## **14.5 Environmental hazards** non-environmentally hazardous acc. to the danger-

ous goods regulations

#### 14.6 Other relevant information

Shipping container markings and labels, received from AquaPhoenix, may vary from the above information. Products that are regulated for transport will be packaged by AquaPhoenix as Dangerous Goods in Excepted Quantities according to IATA, US DOT, and IMDG regulations. AquaPhoenix may also elect to ship certain products as UN 3316 Chemical Kit, Hazard Class 9, Packing Group II or III. In case of reshipment, it is the responsibility of the shipper to determine appropriate labels and markings in accordance with applicable transportation regulations.

United States: en Page: 9 / 14



## V1404SS

Version number: 12.1 Revision: 2024-07-22 SDS Identifier: V1404SS

## 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

## **Information for each of the UN Model Regulations**

## Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information

Particulars in the shipper's declaration UN1824, Sodium hydroxide solutions, 8, II

Reportable quantity (RQ) 5,555.6 lbs (2,522.2 kg) (sodium hydroxide)

Danger label(s) 8



Special provisions (SP) B2, IB2, N34, T7, TP2

ERG No 154

## International Maritime Dangerous Goods Code (IMDG) - Additional information

Marine pollutant Danger label(s) 8



Special provisions (SP)

Excepted quantities (EQ) E2
Limited quantities (LQ) 1 L

EmS F-A, S-B

Stowage category A

Segregation group 18 - Alkalis

## International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Danger label(s) 8



Special provisions (SP)

Excepted quantities (EQ)

Limited quantities (LQ)

A3

E2

Limited quantities (LQ)

0,5 L

United States: en Page: 10 / 14



## V1404SS

Version number: 12.1 Revision: 2024-07-22 SDS Identifier: V1404SS

## **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations specific for the product in question National regulations (United States)

**Toxic Substance Control Act (TSCA)** 

all ingredients are listed (ACTIVE) or exempt from listing

## Superfund Amendment and Reauthorization Act (SARA TITLE III )

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

- Specific Toxic Chemical Listings (EPCRA Section 313) none of the ingredients are listed

## Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)

| Name of substance | Remarks | Statutory code | Final RQ pounds (Kg) |
|-------------------|---------|----------------|----------------------|
| sodium hydroxide  |         | 1              | 1000 (454)           |

## Legend

1 "1" indicates that the statutory source is section 311(b)(2) of the Clean Water Act

### Clean Air Act

none of the ingredients are listed

#### **Right to Know Hazardous Substance List**

- Hazardous Substance List (NJ-RTK)

| Name of substance | Remarks | Classifications |
|-------------------|---------|-----------------|
| sodium hydroxide  |         | CO<br>R1        |

#### **Legend**

CO Corrosive

R1 Reactive - First Degree

## California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

none of the ingredients are listed

United States: en Page: 11 / 14



# Safety Data Sheet **V1404SS**

Version number: 12.1 Revision: 2024-07-22 SDS Identifier: V1404SS

#### **National inventories**

| Country | Inventory  | Status                              |
|---------|------------|-------------------------------------|
| US      | TSCA       | all ingredients are listed (ACTIVE) |
| AU      | AIIC       | all ingredients are listed          |
| CA      | DSL        | all ingredients are listed          |
| CN      | IECSC      | all ingredients are listed          |
| EU      | ECSI       | all ingredients are listed          |
| EU      | REACH Reg. | all ingredients are listed          |
| JP      | CSCL-ENCS  | all ingredients are listed          |
| JP      | ISHA-ENCS  | not all ingredients are listed      |
| KR      | KECI       | all ingredients are listed          |
| MX      | INSQ       | all ingredients are listed          |
| NZ      | NZIoC      | all ingredients are listed          |
| PH      | PICCS      | all ingredients are listed          |
| TR      | CICR       | not all ingredients are listed      |
| TW      | TCSI       | all ingredients are listed          |
| VN      | NCI        | all ingredients are listed          |

<u>Legend</u>

AIIC Australian Inventory of Industrial Chemicals
CICR Chemical Inventory and Control Regulation

CSCL-ENCS List of Existing and New Chemical Substances (CSCL-ENCS)

DSL Domestic Substances List (DSL)

ECSI EC Substance Inventory (EINECS, ELINCS, NLP)

IECSC Inventory of Existing Chemical Substances Produced or Imported in China

INSQ National Inventory of Chemical Substances

ISHA-ENCS Inventory of Existing and New Chemical Substances (ISHA-ENCS)

KECI Korea Existing Chemicals Inventory
NCI National Chemical Inventory

NZIoC New Zealand Inventory of Chemicals

PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)

REACH Reg. REACH registered substances

TCSI Taiwan Chemical Substance Inventory

TSCA Toxic Substance Control Act

## 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

United States: en Page: 12 / 14



# Safety Data Sheet **V1404SS**

Version number: 12.1 Revision: 2024-07-22 SDS Identifier: V1404SS

## SECTION 16: Other information, including date of preparation or last revision

## **Abbreviations and acronyms**

| 0 la la ur       | Descriptions of read alphanoisticus   |
|------------------|---|
| Abbr.            | Descriptions of used abbreviations  |
| 29 CFR 1910.1000 | 29 CFR 1910.1000, Tables Z-1, Z-2, Z-3 - Occupational Safety and Health Standards: Toxic and Hazardous Substances (permissible exposure limits)   |
| 49 CFR US DOT    | 49 CFR U.S. Department of Transportation  |
| ACGIH® 2023      | From ACGIH®, 2023 TLVs® and BEIs® Book. Copyright 2023. Reprinted with permission. Information on the proper use of the TLVs® and BEIs®: http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presentations/tlv-bei-position-statement |
| Acute Tox.       | Acute toxicity  |
| Aquatic Acute    | Hazardous to the aquatic environment - acute hazard   |
| ATE              | Acute Toxicity Estimate   |
| Cal/OSHA PEL     | California Division of Occupational Safety and Health (Cal/OSHA): Permissible Exposure Limits (PELs)  |
| CAS              | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)  |
| Ceiling-C        | Ceiling value   |
| DGR              | Dangerous Goods Regulations (see IATA/DGR)  |
| DNEL             | Derived No-Effect Level   |
| DOT              | Department of Transportation (USA)  |
| ED               | Endocrine disruptor   |
| EINECS           | European Inventory of Existing Commercial Chemical Substances   |
| ELINCS           | European List of Notified Chemical Substances   |
| EmS              | Emergency Schedule  |
| ERG No           | Emergency Response Guidebook - Number   |
| Eye Dam.         | Seriously damaging to the eye   |
| Eye Irrit.       | Irritant to the eye   |
| GHS              | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations   |
| IATA             | International Air Transport Association   |
| IATA/DGR         | Dangerous Goods Regulations (DGR) for the air transport (IATA)  |
| ICAO             | International Civil Aviation Organization   |
| ICAO-TI          | Technical instructions for the safe transport of dangerous goods by air   |
| IMDG             | International Maritime Dangerous Goods Code   |
| IMDG-Code        | International Maritime Dangerous Goods Code   |
| NIOSH REL        | National Institute for Occupational Safety and Health (NIOSH): Recommended Exposure Limits (RELs)   |
| NLP              | No-Longer Polymer   |

United States: en Page: 13 / 14



## Safety Data Sheet V1404SS

Revision: 2024-07-22 Version number: 12.1 SDS Identifier: V1404SS

| Abbr.       | Descriptions of used abbreviations  |
|-------------|---|
| OSHA        | Occupational Safety and Health Administration (United States)                                       |
| PBT         | Persistent, Bioaccumulative and Toxic   |
| PEL         | Permissible exposure limit  |
| ppm         | Parts per million   |
| RTECS       | Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information) |
| Skin Corr.  | Corrosive to skin   |
| Skin Irrit. | Irritant to skin  |
| STEL        | Short-term exposure limit   |
| TLV®        | Threshold Limit Values  |
| TWA         | Time-weighted average   |
| vPvB        | Very Persistent and very Bioaccumulative  |

## Key literature references and sources for data

Globally Harmonized System of Classification and Labelling of Chemicals ("Purple book").

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

## **Classification procedure**

Physical and chemical properties: The classification is based on tested mixture. Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

## List of relevant phrases (code and full text as stated in section 2 and 3)

| Code | Text                                     |
|------|--|
| H302 | Harmful if swallowed.                    |
| H314 | Causes severe skin burns and eye damage. |
| H318 | Causes serious eye damage.               |
| H402 | Harmful to aquatic life.                 |

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United States: en Page: 14 / 14